

PRODUCT CATALOG FARMATRAC



FARMATRAC
AGRO SOLUTIONS

EUROPEAN QUALITY & DESIGN

WWW.FARMATRAC.COM | WHATS APP :+45 25 310 100 MAIL: VINCENT@FARMATRAC.COM


FARMATRAC 754 wheel tractor 60hp~75hp~80hp



FARMATRAC 754 wheel tractor 60hp~75hp~80hp

FARMATRAC AGRO SOLUTION

Engine Model	/	YTO
Engine power	kw	55,1
Standard engine speed	r/min	2400
Standard weight (front/rear)	Kg	50/60
Number of gears (forward/reverse)	/	8+8 shuttle side gear
Maximum design theoretical speed	km/h	40
Steering system type	/	Fully hydraulic
Steering system Steering control mechanism	/	steering wheel
Steering system Steering mechanism type	/	Front wheel steering
Wheelbase (front wheel)	mm	1100-1300(Optional)
Wheelbase (rear wheel)	mm	1200-1400(Optional)
Overall dimensions of the machine (length × width × height and parts)	mm	3300×1550×1720/muffler height 2040
Tire model	/	Front wheel: 750-16 Rear wheel: 11.2-28
Optional farm implements		Rotary tiller, ordinary plow, hydraulic reversible plow, straw return machine, trencher, bulldozer



A- LENGTH	B- WHEEL BASE	C- REAR WHEEL TREAD
3300mm	1950 mm	1200-1400 mm
D-WIDTH	E-FRONT WHEEL TREAD	F-HEIGHT
1550mm	1100-1300 mm	1720 mm

- Upgrade Chassis, Structure Compact, tractor can drive on narrow roads.
- Tractor has 8+2 Gear Shift and 8+8 Gear Shift for your choose. Reasonable speed match.
- The turning radius is small, so tractor can work quickly on small farmland.
- High ground clearance, Large tire diameter, Fast speed, so tractor can tow small and medium trailers.



FARMATRAC
AGRO SOLUTIONS

EUROPEAN QUALITY & DESIGN

WWW.FARMATRAC.COM | WHATS APP :+45 25 310 100 MAIL: VINCENT@FARMATRAC.COM